

Omega-3-Fettsäuren in Prävention und Behandlung von Krebs

Prof. Dr. med. Clemens von Schacky
Am Klopferspitz 19
82152 Martinsried | Deutschland
c.vonschacky@omegаметrix.eu

Literatur

- [1] von Schacky C. Assessing Omega-3 Fatty Acids – Critically Weighing Options and Relevance. *J Clin Lipidol* 2025;19:208–214
- [2] von Schacky C, Kuipers K, Pijl H, Muskiet FAJ, Grobbee DE. Omega-3 Fatty Acids in Heart Disease – why accurately measured levels matter. *Neth Heart J* 2023;31:415–423
- [3] von Schacky C. Der Omega-3-Index in der Schwangerschaft. Warum der Status entscheidet. *OM&Ernährung* 2021;SH21:88–93
- [4] Alijani S, Hahn A, Harris WS, Schuchardt JP. Bioavailability of EPA and DHA in humans - A comprehensive review. *Prog Lipid Res.* 2025;97:101318
- [5] Schuchardt JP, Beinhorn P, Hu XF, et al. Omega-3 world map: 2024 update. *Prog Lipid Res.* 2024;95:101286
- [6] Shannon J, King IB, Moshofsky R, et al. Erythrocyte fatty acids and breast cancer risk: a case-control study in Shanghai, China. *Am J Clin Nutr.* 2007;85:1090–1097
- [7] Kuriki K, Hirose K, Wakai K, et al. Breast cancer risk and erythrocyte compositions of n-3 highly unsaturated fatty acids in Japanese. *Int J Cancer.* 2007;121:377–385.
- [8] Yang B, Ren XL, Wang ZY, et al. Biomarker of long-chain n-3 fatty acid intake and breast cancer: Accumulative evidence from an updated meta-analysis of epidemiological studies. *Crit Rev Food Sci Nutr.* 2019;59:3152–3164.
- [9] Goupille C, Frank PG, Arbion F, et al. Low Levels of Omega-3 Long-Chain Polyunsaturated Fatty Acids Are Associated with Bone Metastasis Formation in Premenopausal Women with Breast Cancer: A Retrospective Study. *Nutrients.* 2020;12:3832.
- [10] Rifkin SB, Shrubsole MJ, Cai Q, et al. PUFA levels in erythrocyte membrane phospholipids are differentially associated with colorectal adenoma risk. *Br J Nutr.* 2017;117:1615–1622
- [11] Kuriki K, Wakai K, Hirose K, et al. Risk of colorectal cancer is linked to erythrocyte compositions of fatty acids as biomarkers for dietary intakes of fish, fat, and fatty acids. *Cancer Epidemiol Biomarkers Prev.* 2006;15:1791–1798.
- [12] Aldoori J, Zulyniak MA, Toogood GJ, Hull MA. Plasma n-3 Polyunsaturated Fatty Acid Levels and Colorectal Cancer Risk in the UK Biobank: Evidence of Nonlinearity, as Well as Tumor Site- and Sex-Specificity. *Cancer Epidemiol Biomarkers Prev.* 2025;34:394–404.
- [13] Kim Y, Kim J. Intake or Blood Levels of n-3 Polyunsaturated Fatty Acids and Risk of Colorectal Cancer: A Systematic Review and Meta-analysis of Prospective Studies. *Cancer Epidemiol Biomarkers Prev.* 2020;29:288–299.
- [14] Chen W, Dai ZB, Jiang QX, et al. Inverse association between eicosapentaenoic acid and incident colorectal cancer: a dose-response meta-analysis of twenty-six independent prospective cohorts. *Eur J Nutr.* 2025;64:221.
- [15] Lin HL, Lin QY, Feng JN, Zheng WE, Yang C, Yuan SF. Plasma fatty acid levels and risk of non-small cell lung cancer: a large-scale prospective cohort study. *Front Nutr.* 2024;11:1462300.
- [16] Wang Y, Yin T, Li J, et al. Reduced levels of serum EPA and DHA identified in patients with non-small-cell lung cancer using a new rapid validated LC-MS/MS method. *SLAS Discov.* 2023;28:12–18.
- [17] Yin H, Wang Y, Chen Y, Shehzad Q, Xiao F. Association between red blood cell fatty acids composition and risk of esophageal cancer: a hospital-based case-control study. *Lipids Health Dis.* 2025;24:101.
- [18] Kuriki K, Wakai K, Matsuo K, et al. Gastric cancer risk and erythrocyte composition of docosahexaenoic acid with anti-inflammatory effects. *Cancer Epidemiol Biomarkers Prev.* 2007;16:2406–2415.
- [19] Liu Z, Huang H, Xie J, Xu Y, Xu C. Circulating fatty acids and risk of hepatocellular carcinoma and chronic liver disease mortality in the UK Biobank. *Nat Commun.* 2024;15:3707.
- [20] Ghamarzad Shishavan N, Mohamadkhani A, Ghajarieh Sepanlou S, et al. Circulating plasma fatty acids and risk of pancreatic cancer: Results from the Golestan Cohort Study. *Clin Nutr.* 2021;40:1897–1904.
- [21] Chen Q, Wang J, Wang J, et al. Erythrocyte ω -3 polyunsaturated fatty acids are inversely associated with the risk of oral cancer: a case-control study. *Nutr Diabetes.* 2020;10:35.
- [22] Ben Fradj MK, Ouanes Y, Hadj-Taieb S, et al. Decreased Oleic Acid and Marine n - 3 Polyunsaturated Fatty Acids in Tunisian Patients with Urothelial Bladder Cancer. *Nutr Cancer.* 2018;70:1043–1050.
- [23] Farrell SW, DeFina LF, Tintle NL, et al. Association of the Omega-3-Index with Incident Prostate Cancer with Updated Meta-Analysis: The Cooper Center Longitudinal Study. *Nutrients.* 2021;13:384.
- [24] Lee KH, Seong HJ, Kim G, et al. Consumption of Fish and omega-3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. *Adv Nutr.* 2020;11:1134–1149.

- [25] Fodil M, Blanckaert V, Ulmann L, Mimouni V, Chénéais B. Contribution of n-3 Long-Chain Polyunsaturated Fatty Acids to the Prevention of Breast Cancer Risk Factors. *Int J Environ Res Public Health*. 2022;19:7936
- [26] Bischoff-Ferrari HA, Willett WC, Manson JE, et al. Combined Vitamin D, Omega-3 Fatty Acids, and a Simple Home Exercise Program May Reduce Cancer Risk Among Active Adults Aged 70 and Older: A Randomized Clinical Trial. *Front Aging*. 2022;3:852643
- [27] Mueller TC, Trefzer C, Reischl S, et al. Low HS-Omega-3-Index as a predictor of severe postoperative complications in abdominal surgery: a prospective observational study. *Int J Surg*. 2025 Jul 15
- [28] Wibowo AA, Willyanto NA. The efficacy of omega-3 fatty acids (O3FAs) as a complementary in colorectal cancer patients: A systematic review and meta-analysis. *Clin Nutr ESPEN*. 2024;61:322–332.
- [29] Daher GS, Choi KY, Wells JW, Goyal N. A Systematic Review of Oral Nutritional Supplement and Wound Healing. *Ann Otol Rhinol Laryngol* 2022:34894211069437
- [30] Pradelli L, Heller AR, Klek S, Mayer K, Rosenthal MD, Muscaritoli M. Parenteral Nutrition Containing Fish Oil for Hospitalized Non-Intensive Care Unit (ICU) Patients: A Systematic Review, Meta-Analysis, and Cost-Effectiveness Analysis. *Nutrients*. 2025;17:1284.
- [31] Martindale RG, Evans DC, Waitzberg D, et al. Parenteral nutritional support in surgical patients: expert consensus statements regarding intravenous lipid emulsions containing omega-3 fatty acids. *Front Nutr*. 2025;12:1546089
- [32] Pan L, Zhou Y, Yin H, Hui H, Guo Y, Xie X. Omega-3 Polyunsaturated Fatty Acids Can Reduce C-Reactive Protein in Patients with Cancer: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutr Cancer*. 2022;74:840–851.
- [33] Guo Y, Ma B, Li X, et al. n-3 PUFA can reduce IL-6 and TNF levels in patients with cancer. *Br J Nutr*. 2023;129:54–65.
- [34] Tao X, Zhou Q, Rao Z. Efficacy of omega-3 Polyunsaturated Fatty Acids in Patients with Lung Cancer Undergoing Radiotherapy and Chemotherapy: A Meta-Analysis. *Int J Clin Pract*. 2022;2022:6564466
- [35] Wang Y, Liu R, Chang M, et al. Does omega-3 PUFA-enriched oral nutritional intervention benefit cancer patients receiving chemo (radio) therapy? A systematic review and meta-analysis of randomized controlled trials. *Crit Rev Food Sci Nutr*. 2023;63:3081–3096.
- [36] Lam CN, Watt AE, Isenring EA, de van der Schueren MAE, van der Meij BS. The effect of oral omega-3 polyunsaturated fatty acid supplementation on muscle maintenance and quality of life in patients with cancer: A systematic review and meta-analysis. *Clin Nutr*. 2021;40:3815–3826
- [37] El Amrousy D, El-Affify D, Khedr R, Ibrahim AM. Omega 3 fatty acids can reduce early doxorubicin-induced cardiotoxicity in children with acute lymphoblastic leukemia. *Pediatr Blood Cancer*. 2022;69:e29496
- [38] van der Meij BS, Langius JA, Spreeuwenberg MD, et al. Oral nutritional supplements containing n-3 polyunsaturated fatty acids affect quality of life and functional status in lung cancer patients during multimodality treatment: an RCT. *Eur J Clin Nutr* 20126;6:399–404.
- [39] Hashemipour MA, Barzegari S, Kakoie S, Aghahi RH. Effects of Omega-3 Fatty Acids Against Chemotherapy-induced Mucositis: A Double-blind Randomized Clinical Trial. *Wounds* 2017;29:360–366.
- [40] Morsy BM, El Domiaty S, Meheissen MAM, Heikal LA, Meheissen MA, Aly NM. Omega-3 nanoemulgel in prevention of radiation-induced oral mucositis and its associated effect on microbiome: a randomized clinical trial. *BMC Oral Health*. 2023;23:612.
- [41] De la Rosa Oliva F, Meneses García A, Ruiz Calzada H, et al. Effects of omega-3 fatty acids supplementation on neoadjuvant chemotherapy-induced toxicity in patients with locally advanced breast cancer: a randomized, controlled, double-blinded clinical trial. *Nutr Hosp* 2019;36:769–776
- [42] Ma Y.J, Yu J, Xiao J, Cao BW. The consumption of omega-3 polyunsaturated fatty acids improves clinical outcomes and prognosis in pancreatic cancer patients: a systematic evaluation. *Nutr Cancer* 2015;67:112–118.
- [43] Darwito D, Dharmana E, Riwanto I, et al. Effects of Omega-3 Supplementation on Ki-67 and VEGF Expression Levels and Clinical Outcomes of Locally Advanced Breast Cancer Patients Treated with Neoadjuvant CAF Chemotherapy: A Randomized Controlled Trial Report. *Asian Pac J Cancer Prev*. 2019;20:911–916
- [44] Gogos C.A, Ginopoulos P, Salsa, B, Apostolidou E, Zoumbos NC, Kalfarentzos F. Dietary omega-3 polyunsaturated fatty acids plus vitamin E restore immunodeficiency and prolong survival for severely ill patients with generalized malignancy: a randomized control trial. *Cancer* 1998;82:395–402.
- [45] Chagas TR, Borges DS, de Oliveira PF, et al. Oral fish oil positively influences nutritional-inflammatory risk in patients with haematological malignancies during chemotherapy with an impact on long-term survival: a randomised clinical trial. *J Hum Nutr Diet* 2017;30:681–692.
- [46] Cockbain AJ, Volpato M, Race AD. Anticorectal cancer activity of the omega-3 polyunsaturated fatty acid eicosapentaenoic acid. *Gut* 2014;63:1760–1768.
- [47] Hosseini F, Hemmati A, Takabi FS, Naeini F, Shab Bidar S. A dose-response meta-analysis of randomized clinical trials investigating the effects of omega-3 supplementation on body weight in patients with cancer cachexia. *Clin Nutr ESPEN*. 2024;59:378–386.
- [48] Chua AV Jr, Hernandez ARB, Mendoza MJL, San Juan MD. Omega-3 Fatty Acids Increase Weight and Quality of Life Scores in Patients With Advanced Non-Small Cell Lung Cancer and Cancer Cachexia: A Meta-Analysis. *Integr Cancer Ther*. 2024;23:15347354241275052

- [49] Reiner MF, Simona Stivala S, Limacher A, et al. Omega-3 Fatty Acids Predict Recurrent Venous Thromboembolism or Total Mortality in Elderly Patients with Acute Venous Thromboembolism. *J Thromb Haemostas* 2017;17:47–56
- [50] Salisbury AC, Harris WS, Amin AP, Reid KJ, O'Keefe Jr JH, Spertus JA. Relation Between Red Blood Cell Omega-3 Fatty Acid Index and Bleeding During Acute Myocardial Infarction. *Am J Cardiol*. 2012;109:13–18
- [51] Jia X, Gao F, Pickett JK et al. Association Between Omega-3 Fatty Acid Treatment and Atrial Fibrillation in Cardiovascular Outcome Trials: A Systematic Review and Meta-Analysis. *Cardiovasc Drugs Ther* 2021;35:793–800
- [52] Gencer B, Djousse L, Al-Ramady OT, Cook NR, Manson JE, Albert CM. Effect of Long-Term Marine -3 Fatty Acids Supplementation on the Risk of Atrial Fibrillation in Randomized Controlled Trials of Cardiovascular Outcomes: A Systematic Review and Meta-Analysis. *Circulation* 2021;144:1981–1990.
- [53] Stiftung Warentest (26.05.2020): Mittel mit Omega-3-Fettsäuren im Test

