

Ballaststoffe als Grundpfeiler der Darmgesundheit

Eine Analyse ihrer strukturellen und funktionellen Bedeutung

Dr. med. Claas Hohmann
Obere Seeleite 24
82237 Wörthsee | Deutschland
c.hohmann@buff-medical-resort.de

Literatur

- Smits SA, Leach J, Sonnenburg ED, et al. Seasonal cycling in the gut microbiome of the Hadza hunter-gatherers of Tanzania. *Science*. 2017;357(6353):802-806.
- Reynolds A, Mann J, Cummings J, Winter N, Mete E, Te Morenga L. Carbohydrate quality and human health: a series of systematic reviews and meta-analyses. *Lancet*. 2019;393(10170):434-445.
- Roediger WE. Role of anaerobic bacteria in the metabolic welfare of the colonic mucosa in man. *Gut*. 1980;21(9):793-798.
- Kasubuchi M, Hasegawa S, Hiramatsu T, Ichimura A, Kimura I. Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation. *Nutrients*. 2015;7(4):2839-2849.
- Furusawa Y, Obata Y, Fukuda S, et al. Commensal microbe-derived butyrate induces the differentiation of colonic regulatory T cells. *Nature*. 2013;504(7480):446-450.
- Arpaia N, Campbell C, Fan X, et al. Metabolites produced by commensal bacteria promote peripheral regulatory T-cell generation. *Nature*. 2013;504(7480):451-455.
- Aune D, Sen A, Norat T, Riboli E. Dietary fibre intake and the risk of diverticular disease: a systematic review and meta-analysis of prospective studies. *Eur J Nutr*. 2020;59(2):421-432.
- Aune D, Chan DS, Lau R, et al. Dietary fibre, whole grains, and risk of colorectal cancer: systematic review and dose-response meta-analysis of prospective studies. *BMJ*. 2011;343:d6617.
- Ben Q, Sun Y, Chai R, Qian A, Xu B, Yuan Y. Dietary fiber intake reduces risk for colorectal adenoma: a meta-analysis. *Gastroenterology*. 2014;146(3):689-699.e6.
- Zhao J, Zhu Y, Du M, et al. Association between dietary fiber intake and mortality among colorectal cancer survivors: results from the Newfoundland Familial Colorectal Cancer Cohort Study and a meta-analysis of prospective studies. *Cancers*. 2022;14(15):3801.
- Bijkerk CJ, de Wit NJ, Muris JW, Whorwell PJ, Knottnerus JA, Hoes AW. Soluble or insoluble fibre in irritable bowel syndrome in primary care? Randomised placebo controlled trial. *BMJ*. 2009;339:b3154.
- Menees SB, Powell C, Kurlander J, Goel A, Chey WD. A meta-analysis of the effect of probiotics, prebiotics/fiber, and antibiotics on symptoms in irritable bowel syndrome. *Clin Gastroenterol Hepatol*. 2018;16(8):1332-1343.
- Roex L, Ijskes J, Schols S, et al. Acacia fiber or probiotic supplements to relieve gastrointestinal complaints in patients with constipation-predominant IBS: a 4-week randomized double-blinded placebo-controlled intervention trial. *Eur J Nutr*. 2024;63:1983-1994.
- Whitehead A, Beck EJ, Tosh S, Wolever TM. Cholesterol-lowering effects of oat β -glucan: a meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2014;100(6):1413-1421.
- Ho HVT, Sievenpiper JL, Zurbau A, et al. The effect of oat β -glucan on LDL-cholesterol, non-HDL-cholesterol and apoB for CVD risk reduction: a systematic review and meta-analysis of randomised-controlled trials. *Br J Nutr*. 2016;116(8):1369-1382.
- Thaiss CA, Zeevi D, Levy M, et al. Transkingdom control of microbiota diurnal oscillations promotes metabolic homeostasis. *Cell*. 2014;159(3):514-529.
- Tahara Y, Yamazaki M, Sukigara H, et al. Gut microbiota-derived short chain fatty acids induce circadian clock entrainment in mouse peripheral tissue. *Sci Rep*. 2018;8:1395.
- González Canga A, Fernández Martínez N, Sahagún Prieto AM, et al. Dietary fiber and its interaction with drugs. *Nutr Hosp*. 2010;25(4):535-539.
- Abdullah MMH, Marinangeli CPF, Jones PJH, Carlberg JG. Cost-of-illness analysis reveals potential healthcare savings with reductions in type 2 diabetes and cardiovascular disease following recommended intakes of dietary fiber in Canada. *Front Pharmacol*. 2019;10:1130.